



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

December 18th.

MR. VAUX, Vice-President, in the Chair.

Fifty members present.

The following were presented for publication: "On the consumption of force by plants." By Thomas Meehan.

"A second study of the Icteridæ." By John Cassin.

—
December 25th.

MR. VAUX, Vice-President, in the Chair.

Twenty members present.

The meeting adjourned until the following evening, Wednesday, Dec. 26th.

—
December 26th.

MR. VAUX, Vice-President, in the Chair.

Forty-two members present.

On favorable report of the respective committees, the following were ordered to be published:

List of COLEOPTERA collected in the Mountains of Lycoming County, Pa.

BY JOHN L. LECONTE, M. D.

During the first week of June, 1866, I had the good fortune to make one of a party who visited Lycoming County, to indulge in the pleasure of trout-fishing. Our station was on the Loyalsoc Creek, about thirty miles from Williamsport.

The collection contained so many species not previously known in Pennsylvania, that it has seemed to me, though small in extent, to merit particular consideration; the more so, because it indicates the necessity of greatly-increased collections in the mountain regions, before we can begin to map out accurately the distribution of our species. The names correspond with those in my list of North American Coleoptera.

Some of the more interesting new species, belonging to groups which I have already investigated, I have named. The descriptions will be found in the following pages of this volume. Two of them I have dedicated to members of the party, who, although unknown to the literature of science, appreciate enthusiastically the beauties of nature; and manifested, by their ardent pursuit of the finny game, and their accurate knowledge of his habits, such natural taste for scientific employments, as would, doubtless, had earlier opportunity favored, have much diminished the labor yet to be performed by students of Zoology in this country.

Nebria pallipes.	Olisthopus parmatius.
Cychrus (Sphaerod.) canadensis.	Pterostichus sustentus.
Lecontei.	rostratus.
Schizogenius amphibius.	honestus.
Calathus (Pristodactyla) impunctata.	mancus?
Platynus angustatus.	caudicalis.
marginatus.	mutus.
extensicollis.	Luczotii.
molestus.	coracinus.
<i>laevis</i> <i>Lec.</i>	stygius.

[Dec.

- Pterostichus lachrymosus.*
Myas foveatus.
Amara? n. sp.
Dicælus politus.
Anomoglossus emarginatus.
Chlænien sericeus.
 *cordicollis.**
 pensylvanicus.
Atranus pubescens.
Anisodactylus Harrisii.
 nigerrimus.
Eurytrichus nitidipennis.
Bradycellus vulpeculus.
 rupestris.
Harpalus longicollis.
 spadiceus.
Stenolophus ochropezus.
Patrobus angicollis.
Bembidium nigrum.
 n. sp.
 simplex.
 planum.
 semistriatum.
Tachys tripunctatus.
 nanus (inornat. Say).
 flavicauda.
Necrophorus pygmæus.
Catops Spencianus.
 terminans.
Scydmaenus bicolor.
Batrisus globosus.
 two other species.
Falagria cingulata n. sp.
Myllæna sp.
Aleocharini, 6 sp. not determined.
Coproporus ventriculus.
Conosoma crassum.
 Knoxii n. sp.
 opicum.
Bryoporus testaceus.
Philonthus lomatus.
 one other sp.
Xantholinus cephalus.
Baptolinus macrocephalus, var?
Lathrobium punctulatum.
 collare.
 spec. not described.
Cryptobium badium.
 bicolor.
Sunius longiusculus.
Stenus egenus.
Oxytelus sculptus.
Trogophlœus not described.
Anthophagus cæsus.
 near *verticalis.*
Amphichroum lævicolle n. sp.
Anthobium sp.
Hister americanus.
Olibrus nitidus.
Carpophilus brachypterus.
Epuræa not described.
Endectus hæmatodes.
Philothermus glabriculus.
Clinidium conjungens.
Lathridium liratus.
Corticaria pumila.
 americana.
Litargus 4-spilotus.
Cytilus varius.
Platycerus quercus.
Onthophagus Hecate.
Aphodius n. sp.
Hoplia trifasciata.
Cremastochilus canaliculatus.
Throscus Chevrolatii.
Cryptohypnus planatus.
 pulchellus.
Elater nigricollis.
 luctuosus.
 fuscatus.
 rubricus.
Melanotus inæqualis.
Limonium aurifer.
 ectypus.
Sericosomus silaceus.
Prionocyphon discoideus.
Cyphon ruficollis and var.
 pallipes.
 modesta.
Photinus corruscus.
Podabrus punctatus.
 Pattoni n. sp.
Telephorus carolina.
 rectus.
 tuberculatus.
Attalus flavilabris.
Clerus thoracicus.
Cis, sp. not determined.
Phellopsis obcordata.
Boletophagus depressus.
Paratenetus punctatus.
Corphyra terminalis.
Canifa pusilla.
Penthe obliquata.
Melandrya striata.
Anaspis flavipennis.
 rufa.
Mordella scapularis.
Asclera ruficollis.
Curculionidæ not determined.

* This is the species which I have regarded as *C. chlorophanus Dej.* I am informed by my friend Mr. Sallé, that the types of the latter belong to the western species known as *C. solitarius Say.*

<i>Tomicus pyri.</i>	<i>Galleruca decora.</i>
<i>Molorchus bimaculatus.</i>	<i>Engis 4-maculata.</i>
<i>Leptura ruficollis.</i>	<i>Dacne heros.</i>
<i>sphaericollis.</i>	<i>Triplax sanguinipennis.</i>
<i>Orsodacna Childreni.</i>	<i>Mycetina perpulchra.</i>
<i>Chrysomela vulgatissima.</i>	<i>Psyllobora 20-maculata.</i>
(blue var.)	<i>Hyperaspis elegans.</i>
<i>Haltica violacea Mels.</i>	<i>Scymnus lacustris.</i>
<i>Diabrotica vittata.</i>	

List of COLEOPTERA collected near Fort Whipple, Arizona, by Dr. Elliott Coues, U. S. A., in 1864-65.

BY JOHN L. LECONTE, M. D.

At the request of Dr. Coues, it was my intention to prepare a catalogue of the Coleoptera, thus far known from Arizona. On reflection, it seems to me that such a list would be at present of but little value to entomologists; partly because all the species previously examined by me are mentioned in my memoir on the Coleoptera of the U. S. and Mexican Boundary,* but still more, because Dr. G. H. Horn, recently Surgeon of California Volunteers, having spent four years in collecting through California and Arizona, has returned with much new material. Any list of species now made would, therefore, soon be rendered useless by the investigation of his collections. For these reasons I have confined myself to a list of the species submitted to Mr. Ulke and myself by Dr. Coues. The new species are described with others in the present number of the Proceedings.

<i>Amblychila cylindriciformis.</i>	<i>Macroductylus angustatus.</i>
<i>Cicindela obsoleta</i> (race β).	<i>Plusiotis gloriosa.</i>
<i>nigrocœrulea.</i>	<i>Cyclocephala manca</i> n. sp.
<i>guttifera.</i>	<i>Xyloryctes Satyrus.</i>
<i>punctulata</i> var.	<i>Dynastes Tityus.</i>
<i>Calosoma carbonatum.</i>	<i>Strategus cessus</i> n. sp.
<i>Lachnophorus elegantulus.</i>	<i>Gyascutus sphenicus</i>
<i>Discoderus impotens.</i>	<i>Ancylochira alternans.</i>
<i>Tachys audax.</i>	<i>Melanophila atropurpurea.</i>
<i>Acilius flavomaculatus.</i>	<i>Acmæodera amplicollis</i> n. sp.
<i>Laccophilus truncatus.</i>	<i>deciptens</i> n. sp.
<i>Hydroporus striatellus.</i>	<i>Agrilus Couesii</i> n. sp.
<i>Berosus punctatissimus.</i>	<i>Chalcolepidius Webbiai.</i>
<i>subsignatus.</i>	<i>Cryptohypnus inops.</i>
<i>Hydrocharis glaucus.</i>	<i>Horistonotus simplex.</i>
<i>Silpha truncata.</i>	<i>Photinus nigricans.</i>
<i>Creophilus villosus.</i>	<i>Chauliognathus scutellaris.</i>
<i>Belonuchus formosus.</i>	<i>Pristoscelis convergens</i> n. sp.
<i>Philonthus flavolimbatus.</i>	<i>atricornis</i> n. sp.
<i>inquietus.</i>	<i>Amphicerus punctipennis.</i>
<i>Saprinus pratensis.</i>	<i>Eurymetopon abnorme.</i>
<i>Tribrachys caudalis.</i>	<i>Epitragus</i> n. sp.
<i>Trogosita</i> n. sp?	<i>Zopherus</i> n. sp.
<i>Lasconotus laqueatus</i> n. sp.	<i>Eleodes obscura.</i>
<i>Aulonium longum</i> n. sp.	<i>sulcata.</i>
<i>Dorcus?</i> <i>mazama.</i>	<i>obsolata.</i>
<i>Canthon indigaceus</i> n. sp.	<i>extricata.</i>
<i>Ochodæus simplex.</i>	<i>Embaphion contusum.</i>
<i>Trox punctatus.</i>	<i>Blapstinus pubescens.</i>

* Journ. Acad. Nat. Sci., Phila., 2d ser., iv. 9, (1858).